

**MAIL TO:**

STATE OF UTAH  
DIVISION OF PURCHASING  
3150 STATE OFFICE BUILDING, CAPITOL HILL  
P.O. BOX 141061  
SALT LAKE CITY, UTAH 84114-1061  
TELEPHONE (801) 538-3026  
FAX (801) 538-3882  
<http://purchasing.utah.gov>

**Request for Quotation**

Solicitation Number: **FV5119**  
Due Date: **04/18/2005**  
Date Sent: April 5, 2005



Goods and services to be purchased: **23' WELLS CARGO TRAILERS**

**Please complete**

Company Name		Federal Tax Identification Number	
Ordering Address	City	State	Zip Code
Remittance Address (if different from ordering address)	City	State	Zip Code
Type <input type="checkbox"/> Corporation <input type="checkbox"/> Partnership <input type="checkbox"/> Proprietorship <input type="checkbox"/> Government	Company Contact Person		
Telephone Number (include area code)	Fax Number (include area code)		
Company's Internet Web Address	Email Address		
Discount Terms (for bid purposes, bid discounts less than 30 days will not be considered)	Days Required for Delivery After Receipt of Order (see attached for any required minimums)		
<p>The following documents are included in this solicitation: Solicitation forms, instructions and general provisions, and specifications. <u>Please review all documents carefully before completing.</u></p> <p>The undersigned certifies that the goods or services offered are produced, mined, grown, manufactured, or performed in Utah. Yes_____ No_____. If no, enter where produced, etc. _____</p>			
Offeror's Authorized Representative's Signature		Date	
Type or Print Name		Position or Title	

**STATE OF UTAH  
DIVISION OF PURCHASING**

**Request for Quotation**

Solicitation Number: FV5119

Due Date: 04/18/2005

Vendor Name:

Item#	Qty	Unit	Description	Unit Price	Extension
001	2	EA	23' WELLS CARGO TRAILERS; MODEL #AS2322W PER ATTACHED SPECIFICATIONS.  THE UTAH DEPARTMENT OF PUBLIC SAFETY DIVISION OF EMERGENCY SERVICES AND HOMELAND SECURITY IS PURCHASING TWO WELLS CARGO TRAILERS FOR BOX ELDER COUNTY TO BE USED IN TIMES OF EMERGENCY AND TO STORE EQUIPMENT.  NO SUBSTITUTIONS DUE TO COMPATIBILITY WITH EXISTING EQUIPMENT.	\$	\$

FOR MORE INFORMATION OR CLARIFICATIONS, PLEASE CONTACT GREG MARTZ AT 435-734-3831 OR DENISE SPILLMAN AT 801-538-3798. REFERENCE RX# 180 52000000068.

FOB: SHIP TO: BOX ELDER COUNTY  
52 SOUTH 1000 WEST  
BRIGHAM CITY, UT 84302  
ATTN: GREG MARTZ

ALSO COMPLETE THE FREIGHT BOX SECTION OF THIS BID.

Changes or modifications to this bid:

Any changes or modifications to this solicitation will only be accomplished in written addendum sent from the division of purchasing.

Any other form is not binding. Bidders submitting a bid on any information other than which is contained in this solicitation document, or any addendum thereto, do so at their own risk.

**Ship To:** BRIGHAM CITY, UT 84302

**FREIGHT CHARGES (if applicable)**

SHIPPING POINT AND ZIP CODE	
SHIPPING WEIGHT	
MODE OF TRANSPORTATION (Please check one) <input type="checkbox"/> Small package/Ground <input type="checkbox"/> LTL(Less than truck load) <input type="checkbox"/> Truckload <input type="checkbox"/> Air <input type="checkbox"/> Other (Please specify) NMFC Class # _____ NMFC Item # _____	
TOTAL PRICE LESS FREIGHT (FOB Origin)	\$
TOTAL PRICE INCLUDING FREIGHT (FOB Destination)	\$

## REQUEST FOR QUOTATION - INSTRUCTIONS AND GENERAL PROVISIONS

**1. QUOTATION PREPARATION:** (a) All prices and notations must be in ink or typewritten. (b) Price each item separately. Unit price shall be shown and a total price shall be entered for each item bid. Errors may be crossed out and corrections printed in ink or typewritten adjacent and must be initialed in ink by person signing quotation. (c) Unit price will govern, if there is an error in the extension. (d) Delivery time is critical and must be adhered to as specified. (e) Wherever in this document an item is defined by using a trade name of a manufacturer and/or model number, it is intended that the words, "or equivalent" apply. "Or equivalent" means any other brand that is equal in use, quality, economy and performance to the brand listed as determined by the Division of Purchasing & General Services (DIVISION). If the vendor lists a trade name and/or catalog number in the bid, the DIVISION will assume the item meets the specifications unless the quote clearly states it is an alternate, and describes specifically how it differs from the item specified. All quotes must include complete manufacturer's descriptive literature if quoting an equivalent product. All products are to be of new, unused condition, unless otherwise requested in this solicitation. (f) By signing the quotation the vendor certifies that all of the information provided is accurate, that they are willing and able to furnish the item(s) specified, and that prices quoted are correct. (g) This quote may not be withdrawn for a period of 60 days from quote due date. (h) Incomplete quotes may be rejected.

**2. SUBMITTING THE QUOTATION:** (a) The quote must be signed in ink and delivered to the DIVISION OF PURCHASING (DIVISION), 3150 State Office Building, Capitol Hill, Salt Lake City, UT 84114-1061 or faxed to (801) 538-3882 by the due date and time. **The "Solicitation Number" and "Due Date" must appear on the outside of the envelope or on the fax cover page.** (b) The state will consider faxed quotes. Faxed quotes are submitted at the sole option and risk of the vendor and must be responsive to all conditions and specifications included in the Request for Quotation (RFQ). Access to state facsimile machine is on a "first come first served" basis and the state does not guarantee the vendor's access to the machine at any particular time. (c) All prices quoted must be both F.O.B. Origin and F.O.B. Destination. Additional charges including but not limited to delivery, drayage, express, parcel post, packing, cartage, insurance, license fees, permits, costs of bonds, or for any other purpose must be included in the quotation for consideration and approval by the DIVISION. Upon award of the contract, the shipping terms will be F.O.B. Destination, with all transportation and handling charges paid by the Contractor, unless otherwise specified by the DIVISION.

**3. SOLICITATION AMENDMENTS:** All changes to this solicitation will be made through written addendum only. Bidders are cautioned not to consider verbal modifications.

**4. PROPRIETARY INFORMATION:** Suppliers are required to mark any specific information contained in their quote which is not to be disclosed to the public or used for purposes other than the evaluation of the quote. Each request for non-disclosure must be accompanied by a specific justification explaining why the information is to be protected. Pricing and service elements of any quote will not be considered proprietary. All material becomes the property of the state and may be returned only at the state's option. Quotes submitted may be reviewed and evaluated by any persons at the discretion of the state.

**5. SAMPLES:** Samples of item(s) specified in the RFQ, when required by DIVISION, must be furnished free of charge to DIVISION. Any items not destroyed by tests may, upon request made at the time the sample is furnished, be returned at the vendor's expense.

**6. WARRANTY:** The contractor agrees to warrant and assume responsibility for all products (including hardware, firmware, and/or software products) that it licenses, contracts, or sells to the State of Utah under this contract for a period of one year, unless otherwise specified and mutually agreed upon elsewhere in this contract. The contractor (seller) acknowledges that all warranties granted to the buyer by the Uniform Commercial Code of the State of Utah applies to this contract. Product liability disclaimers and/or warranty disclaimers from the seller are not applicable to this contract unless otherwise specified and mutually agreed upon elsewhere in this contract. In general, the contractor warrants that: (1) the product will do what the salesperson said it would do, (2) the product will live up to all specific claims that the manufacturer makes in their advertisements, (3) the product will be suitable for the ordinary purposes for which such product is used, (4) the product will be suitable for any special purposes that the State has relied on the contractor's skill or judgement to consider when it advised the State about the product, (5) the product has been properly designed and manufactured, and (6) the product is free of significant defects or unusual problems about which the State has not been warned. Remedies available to the State include the following: The contractor will repair or replace (at no charge to the State) the product whose nonconformance is discovered and made known to the contractor in writing. If the repaired and/or replaced product proves to be inadequate, or fails of its essential purpose, the contractor will refund the full amount of any payments that have been made. Nothing in this warranty will be construed to limit any rights or remedies the State of Utah may otherwise have under this contract.

**7. DIVISION APPROVAL:** Purchase Orders placed, or contracts written, with the State of Utah, as a result of this RFQ, will not be legally binding without the appropriate signature of the DIVISION.

**8. AWARD OF CONTRACT:** (a) **This is an informal quotation which will not be read at a public opening;** however, the information may be publicly reviewed after award. To obtain a copy of this record (tabulation) you may either enclose a stamped self-addressed envelope, or review tabulation in our office. (b) The contract will be awarded with reasonable promptness, by written notice to the lowest responsible vendor that meets the specifications. Consideration will be given to the quality of the product(s) to be supplied, conformity to the specifications, the purpose for which required, delivery time required, discount terms and other criteria set forth in this request for quotation. (c) The DIVISION may accept any item or group of items, or overall low quote. (d) The DIVISION has the right to cancel this request for quotation at any time prior to the award of contract. (e) The DIVISION can reject any and all quotes or waive any informality, or technicality in any quote received, if the DIVISION believes it would serve the best interest of the State. (f) Before, or after, the award of a contract the DIVISION has the right to inspect the vendor's premises and all business records to determine the holder's ability to meet contract requirements. (g) Estimated quantities are for quoting purposes only, and not to be interpreted as a guarantee to purchase any amount. (h) Utah has a reciprocal preference law which will be applied against vendors quoting products or services produced in states which discriminate against Utah products. For details see Section 63-56 20.5 -20.6, Utah Code Annotated. (i) Multiple contracts may be awarded if the State determines it would be in its best interest.

**9. ANTI-DISCRIMINATION ACT:** The vendor agrees to abide by the provisions of the Utah Anti-discrimination Act, Title 34 Chapter 35, U.C.A. 1953, as amended, and Title VI and Title VII of the Civil Rights Act of 1964 (42 USC 2000e), which prohibit discrimination against any employee or applicant for employment, or any applicant or recipient of services, on the basis of race, religion, color, or national origin; and further agrees to abide by Executive Order No. 11246, as amended, which prohibits discrimination on the basis of sex; 45 CFR 90 which prohibits discrimination on the basis of age, and Section 504 of the Rehabilitation Act of 1973, or the Americans with Disabilities Act of 1990, which prohibits discrimination on the basis of disabilities. Also vendor agrees to abide by Utah's Executive Order, dated March 17, 1993, which prohibits sexual harassment in the workplace. Vendor must include this provision in every subcontract or purchase order relating to purchases by the State of Utah to insure that the subcontractors and vendors are bound by this provision.

**10. DEBARMENT:** The CONTRACTOR certifies that neither it nor its principals are presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction (contract) by any governmental department or agency. If the CONTRACTOR cannot certify this statement, attach a written explanation for review by the STATE.

**11. ENERGY CONSERVATION AND RECYCLED PRODUCTS:** The contractor is encouraged to offer Energy Star certified products or products that meet FEMP (Federal Energy Management Program) standards for energy consumption. The State of Utah also encourages contractors to offer products that are produced with recycled materials, where appropriate, unless otherwise requested in this solicitation.

**12. GOVERNING LAWS AND REGULATIONS:** All state purchases are subject to the Utah Procurement Code, Title 63 Chapter 56 U.C.A. 1953, as amended, and the Procurement Regulations as adopted by the Utah State Procurement Policy Board. These are available on the Internet at [www.purchasing.utah.gov](http://www.purchasing.utah.gov).

(Revision 1 Mar 2005 - RFQ Instructions)

## Specifications for RX 180 52000000068

2 (two) Wells Cargo Trailers Model #AS2322W; color: RED

- ❖ 23 Ft 7700# GVWR Wide body Autos
- ❖ 98 ¼" Body Width
- ❖ Heavy Duty Radius Steel Corner posts for Maximum Strength
- ❖ Trailer Chassis fabricated with tubular main rails and matching height fabricated C section cross members/square outriggers
- ❖ Heavy duty anodized lower body extrusion
- ❖ Trailer frames hot phosphate cleaned prior to oxide priming, painting, and undercoating to insure maximum adhesion
- ❖ All exposed steel frame work is polyurethane painted
- ❖ 5 foot "V" Front section
- ❖ 3 piece "A" frame with 2 5/16" top mount coupler with replaceable locking dog assembly
- ❖ D.O.T. compliant ¼" safety chains with clevis hook and safety latch, meeting all D.O.T. standards
- ❖ \*\*\*\*Note on welding. No front ramp door is included on these trailers.\*\*\*\*
- ❖ 6" X 2" rectangular steel tube main rails with equal height "C" channel cross members and square outriggers.
- ❖ \*\*Note on welding: "Delete" – 4 ft Beavertail dropping 4" (reduces platform height to 18") – we need the flush floor – however, with wheel box still. \*\*\*
- ❖ Pair of Wells Cargo rear corner post stabilizing jacks – 2000 lb static load capacity
- ❖ Chassis fully undercoated with RPC (Rust Preventative Coating) Undercoating
- ❖ 102" Wide #10 (3500 lb) Torflex\*\*\*Straight\*\*\*Tandem Axle Assembly with 5 stud hubs and drums with E/Z lube, Wells Cargo weather-resistant wiring package with 10" X 2 ¼" electric brakes (All 4-Wheels)
- ❖ ST205/75R15 Load Range 'C' radial tire mounted on a 5 bolt electro deposition coated silver spoke wheel
- ❖ 6'6" Inside Height, 72 ¾" HD vertical posts on 16" centers
- ❖ Swing down rear ramp door with aluminum anti-rack cam bar lock & spring assist opening 90 ¾" wide X 73" High
- ❖ Bonded door w/insulated Styrofoam door core bonded to aluminum exterior sheet & interior plywood perimeter fabricated from heavy aluminum extrusions, injected molded corners and aluminum strap hinge auto type door seal.
- ❖ Single curbside door, right hand hinge, flush lock, opening 30" wide X 69" high – locate on curbside at front corner post of the 16 ft box.
- ❖ Injection molded nylon door hold back assembly to eliminate rust
- ❖ ¾" exterior grade plywood flooring, exterior surface undercoated, interior surface painted gray.
- ❖ ¼" lauan plywood interior sidewall lining

- ❖ Interior mount spare tire carrier – locate on curbside of “V-Front” wall high as possible
- ❖ All wiring color coded to S.A.E. truck and trailer standards
- ❖ 12 volt dome light with optic lens – Locate evenly spaced front and rear
- ❖ Wall switch for 12-volt dome lights – locate next to curbside entry door in standard locations.
- ❖ All 12 volt wiring run through tubular main rail to interior junction box at rear and on “A” frame of trailer
- ❖ All exterior 12 volt lighting meets D.O.T. requirements
- ❖ Wraparound LED stop/tail/turn light indicators. LED lighting allows for maximum light, plus a 5-year warranty
- ❖ All clearance lights wired with molded wiring harnesses to eliminate bad connections from road vibration.
- ❖ LED wraparound tail light with integrated side rear marker light
- ❖ 14” X 14” screened, crank up translucent roof vent – locate evenly spaced front to rear and centered in ceiling.
- ❖ Maxair roof vent cover
- ❖ .030 prefinished “red” smooth exterior aluminum installed vertically with non-corrosive mechanical fasteners
- ❖ Anodized aluminum on nose with 21” height aluminum tread plate stone guard
- ❖ Exterior aluminum fastened with stal-guard coated fasteners- (surpasses military standards for rust resistant fasteners)
- ❖ Special vinyl electrolytic barrier between steel body and aluminum exterior
- ❖ Extruded anodized aluminum roof cove with formed drip rail provides (solid anchor) attachment of roof sheet as well as structural strength. This cove is specialty designed to prevent leak
- ❖ One piece 30 gauge galvanized steel roof for 8 ft wide and wide body trailers
- ❖ S.A.E. color coded 12 volt electrical system, D.O.T. required exterior lighting package with seven way trailer end connectors
- ❖ D.O.T. “A” frame mounted 22 amp hour UI series battery, breakaway switch, aluminum mounting bracket, cover, battery “charge” indicator, and diode isolation, battery acid included
- ❖ 15-foot A & E roll up awning – color – the white/gray/black combination etc. – locate center front to rear in 21-foot box on curbside wall high as possible.
- ❖ ST205/75R15 L. R. ‘C’ radial tire with a 5 bolt silver spoke wheel
- ❖ Exclusive Wells Cargo never look back – six year warranty program